

VUNYX[®]


Carbon Window Film

LIFETIME WARRANTY





► EVERY DAY LIKE BRAND NEW



VUNYX®

Carbon Window Film (OCC Series)



Vunyx® Carbon window films incorporate carbon particles mixed into the film. It rejects more heat than metalized tints without interfering with cell signals and offers a distinct matte finish. Unlike traditional metalized tints, Vunyx® Carbon Window Films do not rely on metallic components, which means they do not cause interference with electronic signals such as cell phones, GPS, or radio. Vunyx® carbon-infused film effectively blocks heat and UV rays, offering superior heat rejection and enhanced comfort inside the vehicle. It also provides excellent privacy and glare reduction.

VUNYX®

Carbon Window Film's Technical Parameters

TEST RESULTS	OCC 05	OCC 15	OCC 25	OCC 35	OCC 50	OCC 70
Total Solar Energy Rejected (TSER)	Up to 66%	Up to 61%	Up to 56%	Up to 50%	Up to 46%	Up to 42%
Visible Light Transmission (VLT)	5%	15%	25%	35%	50%	70%
Ultraviolet Rejection (UV)	Up to 99%	Up to 99%	Up to 99%	Up to 99%	Up to 99%	Up to 99%
Infrared Rejection (IR)	Up to 85%	Up to 72%	Up to 63%	Up to 62%	Up to 40%	Up to 20%
Glare Reduction	Up to 94%	Up to 83%	Up to 74%	Up to 60%	Up to 35%	Up to 26%
Shading Coefficient	0.39	0.45	0.51	0.57	0.57	0.57
Solar Heat Gain Coefficient (SHGC)	0.34	0.39	0.44	0.50	0.54	0.58
Haze	1.12%	1.08%	1.10%	1.17%	1.07%	1.15%

► AVAILABLE SIZES: 60"X100', 24"X100', 36"X100', 20"X100', 40"X100'



Lifetime Warranty



Total Solar Energy Rejected (TSER) - Up to 66%



Visible Light Transmission (VLT) - Up to 70%





ONYX COATING GmbH
German Headquarters:
Hardenbergstr. 12,
10623 Berlin
Phone: +49 308 878 9772

ONYX COATING USA Inc.
USA Distribution Office:
98 Cuttermill Road, Suite 466 S,
Great Neck, New York, 11021
Phone: +1 800 774 3928

info@onyxcoating.com
www.onyxcoating.com